

tectrum



CASEMENT
TEC-40

INTRODUCTION

Welcome to a world of elegance and sophistication - introducing our Casement Windows. At Tectrum, we take pride in presenting a window solution that epitomizes grace and modernity.

Crafted with precision and a commitment to excellence, these windows not only elevate the aesthetics of any space but also maximize natural light while offering unobtrusive views. Join us on a journey where sophistication meets practicality, and

DESIGN FEATURES

DETAILS

Mullion.....	: 54mm
Section Joint.....	: 45 Degree
Locking.....	: Single / Multi Point
Profile Thickness.....	: 1.5mm
Opening.....	: Side Hung / Top Hung
Coating.....	: Anodise / Powder Coating Wooden Coating / PvdF

TECHNICAL CRITERIA

Glass Thickness

SGU - 5mm / 6mm / 8mm / 12mm

DGU - 18mm

LT - 11.52mm

Maximum Shutter W x H

W - 750 mm

H - 2100 mm

Maximum Shutter size

1.5-Sqm






TEC

40

TYOLOGY

Openable



Top Hung




Fix + Top Hung



Fix + Top Hung



French Openable




Fix



Fix



Custom Design Solutions



PERFORMANCE DATA

Wind - Up To 1.5 KPA



Water Tightness, Air Tightness
Strong Winds Resistance, Heavy Rains,
Sand And Dust, Create Warm Ambient,
Comfortable Living Space.

Water Tightness - 400 Pa



Water-tightness of up to 400 Pa
allows use even in exposed locations.

Air Permeability - 400 Pa



High Strength - Compressive Properties,
Resistant To Severe Natural Disasters.

Sound Insulation Upto - 38db



the multi - cavity structure is sealed with
multiple gaskets, and the sound insulation
is as high as 38db, which can ensure
tranquillity & comfort even in the busy city.



APPLICATION TYPE



Residential &
Commercial



High End Villas



Hotel



tectrum

**DOME-1, DEV CAMPUS, NEAR ANTHEM CIRCLE,
NEW OUTER RING ROAD, SURAT - 395006.**

+91 63576 11555 | +91 63579 11555 | www.tectrum.in

follow us on :     